

JORENKU Triple-Iron



www.jorenku.dk



JORENKU Triple-Iron



Triple-Iron is a tasteful and effective iron supplement.

Piglets need iron to secure a sufficient high level of haemoglobin and not develop anemia. Studies show that the piglets only have some of their needs covered through the sow's milk, thus it is necessary to provide the piglets an extra supplement of iron.

Triple-Iron is based on three-component iron and contains i.a. vitamin C, which promotes the absorption of iron. Triple-Iron is composed so that it also acts as an electrolyte, providing a strong gastrointestinal system.

Triple-Iron is sprinkled on clean and dry floor where the sow has no direct access to it.

In cases where injected, a lower haemoglobin level is often seen in the last period before weaning. Here, Triple-Iron can profitably be used supplementary. Often, the piglets are injected at the age of 3-5 days, which in some cases can lead to arthritis. This risk is completely eliminated by the allocation of Triple-Iron, because it is allocated oral.

Three studies of Triple-Iron show, that by allocating Triple-Iron with the recommended dosage each piglet gets 1,000 mg iron.

Test result shows the following interval for Fe values

111-	73,8 %
101-110	16,7 %
91-100	7,1 %
81-90	2,4 %
71-80	0 %

As can be seen from the diagram on the next page, the desired level of haemoglobin and normal weight is achieved by assigning Triple-Iron, even if no injection is given.

Triple-Iron is available in buckets with 1 kg, 5 kg, and 10 kg and in bags with 20 kg.

JORENKU Triple-Iron




Triple-Iron Vitamin-rich supplement for piglets

- Effective
- Easy to dose
- Contains vitamin C
- Works like an electrolyte
- Tasty



Additives	
Citric acid	Copper
Calcium propionate	Iodine
Orthophosphoric acid	Cobalt
Iron	Vitamin A
Iron oxide	Vitamin C
Manganese	Vitamin D ₃
Zinc	Vitamin E

Haemoglobin value and weight between 18 and 21 days



Product	Triple-Iron
Packaging	1 kg bucket 5 kg bucket 10 kg bucket 20 kg bag
Dosage	1 cup (50 g) corresponds to the dose for 15 piglets per day First allocation: 1 cup/litter every other day. Start on days 3-5 (3 times in total) Second allocation: 1 cup/litter every other day. Start on days 14-17 (3 times in total)



JORENKU

Teglvaerksvej 11, DK 4733 Tappernoeye
+45 56 21 40 70 | jorenku@jorenku.dk

GB/Triple-Iron/BRO/0723