

JORENKU Alka-Liq



Alka-Liq er et flydende, stærkt alkalisk rengøringsmiddel med gode smudsopløsende egenskaber til varm vask af bl.a. rørmalkeanlæg og gårdkøletanke.

Alka-Liq er baseret på natriumhydroxid og natriumhypoklorit. Pga. høj alkalinitet og klorindhold er Alka-Liq effektiv til daglig regøring, ligesom det kan anvendes som problemløser ved meget snavsede anlæg og ved udfordrende forhold.

Ved regelmæssig brug opnås ikke kun renhed men også lave kimtal.

Alka-Liq må ikke anvendes på aluminium eller andre ikke-alkalibestandige overflader. Ej heller blandes med syre eller syreholdige produkter.

Alka-Liq kan anvendes med både manuel og automatisk dosering.

Alka-Liq leveres i dunke med 22 kg, tromler med 200 kg og IBC palletanke med 1.000 kg.

Ønskes i stedet for et syrligt rengørings- og desinfektionsmiddel anbefales det at bruge Oxi-Liq.

JORENKU Alka-Liq



Alka-Liq

Stærkt alkalisk rengøringsmiddel med klor

- Malkerengøring
- Effektiv til daglig regøring
- Høj alkalinitet
- Anvendes som problemløser



Sammensætning

Natriumhydroxid
Natriumhypoklorit

Produkt	Alka-Liq
Produkttype	Alkalisk rengøringsmiddel
Pakning	22 kg dunk 200 kg tromle 1.000 kg IBC palletank
Dosering	Anbefalet brugskoncentration 0,5 - 1,5 %



JORENKU Alka-Liq
 Strong alkaline detergent with chlorine

Composition:
 Active ingredients:
 Sodium hypochlorite

Advantages / benefits:

- Available in packaging of 20 L, 50 L and 1000 L containers. Available in 20 L and 50 L containers for use in the food industry.
- Easy to use and safe. No need for special equipment.
- No need for rinsing after use. No need for special disposal.
- 100% biodegradable and non-toxic to the environment.

Warnings:
 Do not mix with acids. Do not mix with oxidizing agents.

Directions / application:

1. Dilute with water (25-50°C) in a clean container.
2. Use immediately. Do not store for more than 24 hours. Do not store in metal containers.
3. Do not use on surfaces that are sensitive to chlorine.
4. Do not use on surfaces that are sensitive to chlorine.

UN 1760, B, 1
 Tappernøje 11 • DK-4733 Tappernøje
 +45 56 21 40 70 | jorenku@jorenku.dk
 CVR number: 30 47 46 49



JORENKU

Teglværksvej 11, DK 4733 Tappernøje
 +45 56 21 40 70 | jorenku@jorenku.dk

DK/Alka-Liq/BRO/0624