

Oxi-Liq

Creation date	09th July 2021	Version	3
Revision date	12th January 2026		

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Substance / mixture	Oxi-Liq mixture
Number	PR-no.: 4394343
UFI	DH20-308N-J00T-11UR

1.2. Relevant identified uses of the substance or mixture and uses advised against

Mixture's intended use

Disinfectant. For professional use only. The product is not intended for private use or for use in the household.

Mixture uses advised against

The product should not be used in ways other than those referred in Section 1.

1.3. Details of the supplier of the safety data sheet

Manufacturer

Name or trade name	Jorenku A/S
Address	Teglværksvej 11, Tappernøje, 4733 Denmark
VAT number	DK38474669
Phone	+45 56 21 40 70
Email	jorenku@jorenku.dk
Web address	www.jorenku.dk

Competent person responsible for the safety data sheet

Name	Jorenku A/S
Email	jorenku@jorenku.dk

1.4. Emergency telephone number

European emergency number: 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.

Skin Irrit. 2, H315
Eye Dam. 1, H318

Oxi-Liq

Creation date	09th July 2021	Version	3
Revision date	12th January 2026		

Most serious adverse effects on human health and the environment

Causes skin irritation. Causes serious eye damage.

2.2. Label elements

Hazard pictogram



Signal word

Danger

Hazardous substances

hydrogen peroxide solution... %

Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

Precautionary statements

P264 Wash hands and exposed parts of the body thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water and soap.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a doctor.

P321 Specific treatment (see supplemental first aid instructions on this label).

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended. Does not contain any PMT or vPvM components.

Oxi-Liq

Creation date	09th July 2021	Version	3
Revision date	12th January 2026		

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 607-002-00-6 CAS: 64-19-7 EC: 200-580-7	acetic acid ... %	15-<20	Flam. Liq. 3, H226 Skin Corr. 1A, H314 Specific concentration limit: Skin Corr. 1A, H314: C ≥ 90 % Skin Irrit. 2, H315: 10 % ≤ C < 25 % Skin Corr. 1B, H314: 25 % ≤ C < 90 % Eye Irrit. 2, H319: 10 % ≤ C < 25 %	1, 2

Oxi-Liq

Creation date	09th July 2021	Version	3
Revision date	12th January 2026		

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 008-003-00-9 CAS: 7722-84-1 EC: 231-765-0	hydrogen peroxide solution... %	5-<10	Ox. Liq. 1, H271 Acute Tox. 4, H302+H332 Skin Corr. 1A, H314 Specific concentration limit: Skin Corr. 1A, H314: C ≥ 70 % Skin Corr. 1B, H314: 50 % ≤ C < 70 % Skin Irrit. 2, H315: 35 % ≤ C < 50 % Eye Irrit. 2, H319: 5 % ≤ C < 8 % Eye Dam. 1, H318: 8 % ≤ C < 50 % Ox. Liq. 1 (****), H271: C ≥ 70 % Ox. Liq. 2 (****), H272: 50 % ≤ C < 70 % STOT SE 3, H335: C ≥ 35 %	1, 3

Notes

- 1 *Note B: Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.*
- 2 *A substance for which exposure limits are set.*
- 3 *Explosive precursor*

Full text of all classifications and hazard statements is given in the section 16.

Oxi-Liq

Creation date	09th July 2021	Version	3
Revision date	12th January 2026		

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air.

If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. No neutralization should be performed in any case! Rinsing should be continued for 10-30 minutes from the inner to the outer eye corner to make sure that the other eye is not involved. Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible. Everyone must be referred for treatment even if affected only a little.

If swallowed

DO NOT INDUCE VOMITING - even the induced vomiting can cause complications as in case of detergents and other foaming substances.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Inhaling vapours can cause corrosion of the breathing system.

If on skin

Causes skin irritation.

If in eyes

Causes serious eye damage.

If swallowed

Corrosion of the digestion system can occur.

Oxi-Liq

Creation date	09th July 2021	Version	3
Revision date	12th January 2026		

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Prevent contact with skin and eyes.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

6.4. Reference to other sections

See the Section 7, 8 and 13.

Oxi-Liq

Creation date	09th July 2021	Version	3
Revision date	12th January 2026		

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Prevent contact with skin and eyes. Wash hands and exposed parts of the body thoroughly after handling. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose.

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

European Union Commission Directive (EU) 2017/164

Substance name (component)	Type	Value
acetic acid ... % (CAS: 64-19-7)	OEL 8 hours	25 mg/m ³
	OEL 8 hours	10 ppm
	OEL 15 minutes	50 mg/m ³
	OEL 15 minutes	20 ppm

8.2. Exposure controls

Take off contaminated clothing and wash before reuse. Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles or face shield (based on the nature of the work performed).

Oxi-Liq

Creation date	09th July 2021	Version	3
Revision date	12th January 2026		

Skin protection

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. When selecting gloves, consider the properties of the product and the duration of exposure. Replace gloves at the first signs of wear or damage. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

Glove material	Thickness	Breakthrough time	Class
Butyl rubber (IIR)	≥ 0.3 mm	>30 min	2

Respiratory protection

Halfmask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of substances are exceeded or in a poorly ventilated environment.

Thermal hazard

Not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless
Odour	Pungent odor
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	>100 °C
Flammability	data not available
Lower and upper explosion limit	data not available
Flash point	>60 °C
Auto-ignition temperature	data not available
Decomposition temperature	data not available
pH	data not available
Kinematic viscosity	data not available
Solubility in water	soluble in water
Partition coefficient n-octanol/water (log value)	not applicable
Vapour pressure	data not available

Oxi-Liq

Creation date	09th July 2021	Version	3
Revision date	12th January 2026		

Density and/or relative density

Density

1.1 g/cm³

Relative vapour density

data not available

Particle characteristics

not applicable

9.2. Other information

not available

SECTION 10: Stability and reactivity

10.1 Reactivity

- not available

10.2 Chemical stability

- The product is stable under normal conditions.

10.3 Possibility of hazardous reactions

- Unknown.

10.4 Conditions to avoid

- The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5 Incompatible materials

- Protect against strong acids, bases and oxidizing agents.

10.6 Hazardous decomposition products

- Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

- Hazardous substances in concentrations exceeding exposure limits may cause acute inhalation poisoning, depending on the concentration and duration of exposure. No toxicological data is available for the mixture.

Oxi-Liq

Creation date	09th July 2021	Version	3
Revision date	12th January 2026		

Acute toxicity

Based on the available data, the criteria for classification of the mixture are not met. Data for the components of the mixture are not available.

Oxi-Liq						
Route of exposure	Parameter	Value	Exposure time	Species	Sex	Value determination
Oral	ATE	5000 mg/kg				Calculation of value
Inhalation (vapor)	ATE	110 mg/l				Calculation of value

Skin corrosion/irritation

Causes skin irritation. Data for the components of the mixture are not available.

Serious eye damage/irritation

Causes serious eye damage. Data for the components of the mixture are not available.

Respiratory or skin sensitisation

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Germ cell mutagenicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Carcinogenicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Reproductive toxicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Toxicity for specific target organ - single exposure

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Oxi-Liq

Creation date	09th July 2021	Version	3
Revision date	12th January 2026		

Toxicity for specific target organ - repeated exposure

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Aspiration hazard

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

11.2 Information on other hazards

▪

Endocrine disrupting properties

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any components that may cause endocrine disruption for humans.

Other information

not available

SECTION 12: Ecological information

12.1 Toxicity

▪

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

12.2 Persistence and degradability

▪

No data are available for either the mixture or the components. The mixture is biodegradable.

12.3 Bioaccumulative potential

▪

No data are available for either the mixture or the components.

12.4 Mobility in soil

▪

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any PMT or vPvM components.

12.5 Results of PBT and vPvB assessment

▪

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any PBT or vPvB components.

12.6 Endocrine disrupting properties

▪

Oxi-Liq

Creation date	09th July 2021	Version	3
Revision date	12th January 2026		

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any components that may cause endocrine disruption in the environment.

12.7 Other adverse effects

- Not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

- Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

Waste type code

02 01 agrochemical waste containing hazardous substances
08*

15 02 absorbents, filter materials (including oil filters not otherwise
02* specified), wiping cloths, protective clothing contaminated by hazardous substances

(*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

SECTION 14: Transport information

14.1 UN number or ID number

- UN 2984

14.2 UN proper shipping name

- HYDROGEN PEROXIDE, AQUEOUS SOLUTION

Oxi-Liq

Creation date	09th July 2021	Version	3
Revision date	12th January 2026		

14.3 Transport hazard class(es)

- 5.1 Oxidizing substances

14.4 Packing group

- III

14.5 Environmental hazards

- not relevant

14.6 Special precautions for user

- Reference in the Sections 4 to 8.

14.7 Maritime transport in bulk according to IMO instruments

- not relevant

Additional information

Hazard identification No.	50
UN number	2984
Classification code	O1
Safety signs	5.1



Tunnel restriction code	(E)
-------------------------	-----

Air transport - ICAO/IATA

Packaging instructions passenger	551
Cargo packaging instructions	555

Marine transport - IMDG

EmS (emergency plan)	F-H, S-Q
----------------------	----------

Oxi-Liq

Creation date	09th July 2021	Version	3
Revision date	12th January 2026		

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents, as amended. Product contains regulated explosives precursor: Making available, introduction, possession and use of those precursors by member of the general public according to Regulation (EU) 2019/1148, Article 5 to 9. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

Additional information in accordance with Regulation (EC) no. 648/2004 on detergents, as amended

disinfectants

15.2 Chemical safety assessment

not available

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet

H226	Flammable liquid and vapour.
H271	May cause fire or explosion; strong oxidiser.
H272	May intensify fire; oxidiser.
H302+H332	Harmful if swallowed or if inhaled.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

Oxi-Liq

Creation date	09th July 2021	Version	3
Revision date	12th January 2026		

Guidelines for safe handling used in the safety data sheet

P264	Wash hands and exposed parts of the body thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of water and soap.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a doctor.
P321	Specific treatment (see supplemental first aid instructions on this label).

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

Acute Tox.	Acute toxicity
ADR	Agreement concerning the international carriage of dangerous goods by road
ATE	Acute toxicity estimate
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC	Identification code for each substance listed in EINECS
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency Response Procedures for Ships Carrying Dangerous Goods
EU	European Union
EuPCS	European Product Categorisation System
Eye Dam.	Serious eye damage
Eye Irrit.	Eye irritation
Flam. Liq.	Flammable liquid
IATA	International Air Transport Association

Oxi-Liq

Creation date	09th July 2021	Version	3
Revision date	12th January 2026		

IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
log Kow	Octanol-water partition coefficient
OEL	Occupational Exposure Limits
Ox. Liq.	Oxidising liquid
PBT	Persistent, bioaccumulative and toxic
PMT	Persistent, mobile and toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulation concerning the International Carriage of Dangerous Goods by Rail
Skin Corr.	Skin corrosion
Skin Irrit.	Skin irritation
STOT SE	Specific target organ toxicity - single exposure
UN number	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very persistent and very bioaccumulative
vPvM	Very persistent and very mobile

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

Oxi-Liq

Creation date	09th July 2021	Version	3
Revision date	12th January 2026		

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.